

# Product catalogue

**CONVENIENT**

**INTREGATED**

**SAFE & SECURE**



**Make In India**

**By Indians, For Indians**



# ABOUT US

## "SECURITY EXPERTS SINCE 2010"

Since 2010, BLUE TICK has been a trusted name in security solutions, offering advanced CCTV systems that ensure comprehensive surveillance and protection. Known for their reliability and cutting-edge technology, BLUE TICK's cameras, DVRs, and NVRs provide clear, high-quality video monitoring for residential and commercial properties. With a focus on innovation and customer satisfaction, BLUE TICK continues to be a leader in the security industry, helping to safeguard countless homes and businesses across India.

## Some words about us

At BLUE TICK CCTV, we specialize in delivering advanced, high-definition surveillance solutions designed to keep you secure and informed. Combining cutting-edge technology with reliable performance, our systems offer crystal-clear monitoring and 24/7 vigilance. Whether for home or business, BLUE TICK CCTV provides comprehensive protection you can trust.

## Mission

At BLUE TICK CCTV, our mission is to enhance security and peace of mind for our customers by providing innovative, reliable, and high-quality surveillance solutions. We are committed to leveraging cutting-edge technology to deliver crystal-clear monitoring and comprehensive protection, ensuring that every home and business we serve remains safe and secure around the clock.





# TABLE OF CONTENTS

<b>AHD CAMERA</b>	_____
<b>IP CAMERA</b>	_____
<b>AHD COLOR CAMERA</b>	_____
<b>IP COLOR CAMERA</b>	_____
<b>2 / 5 MP DIGITAL VIDEO RECORDER (DVR)</b>	_____
<b>H.264 / H.265 NETWORK VIDEO RECORDER (NVR)</b>	_____
<b>SWITCHED MODE POWER SUPPLY</b>	_____
<b>POE SWITCHES</b>	_____
<b>NETWORK RACKS</b>	_____
<b>BNC / DC &amp; PT CAMERA</b>	_____
<b>SOLAR CAMERA &amp; 4G CAMERA</b>	_____
<b>DVR/ NVR POWER ADAPTOR</b>	_____
<b>CAT6 &amp; 3+1 CCTV WIRE</b>	_____



# INDOOR

## AHD CAMERA

2.4/4/5MP



### AHD DOME CAMERA

#### Features

- HD-CMOS sensor
- 3.6mm / 5mm Lens with Mic
- Resolution: (2.4mp@1920x1080P)  
(4mp@2688x1536P)  
(5mp@2560x1920P)
- Upto 20-30 meters IR distance
- H.265 dual streaming
- Auto tracking white balance
- Lens type: HD lens / IR cut filter
- Gain control auto
- 3D-digital noise reduction



# OUTDOOR

## AHD CAMERA

2.4/4/5MP



### AHD BULLET CAMERA

#### Features

- HD-CMOS sensor
- 3.6mm Lens with Mic
- Resolution: (2.4mp@1920x1080P)  
(4mp@2688x1536P)  
(5mp@2560x1920P)
- Upto 30 meters IR distance
- H.265 dual streaming
- Auto tracking white balance
- Lens type: HD lens / IR cut filter
- Gain control auto
- 3D-digital noise reduction



# INDOOR

## IP CAMERA

**3/4/5MP**

### IP DOME CAMERA

#### Features

- HD-CMOS sensor
- 3.6mm Lens with Mic
- Resolution: (3mp@2048x1440P)  
(4mp@2688x1536P)  
(5mp@2560x1920P)
- Upto 20-30 meters IR distance
- Video compression: H.264/H.265/H.265+
- Shutter Type: Auto/Manual
- P2P: Supported
- Network interface: 1RJ45 Ethernet interface
- Network function: Free client software
- PoE Supported



# OUTDOOR

## IP CAMERA

**2.4/3/5MP**

### IP BULLET CAMERA

#### Features

- HD-CMOS sensor
- 3.6mm Lens with Mic
- Resolution: (3mp@2048x1440P)  
(4mp@2688x1536P)  
(5mp@2560x1920P)
- Upto 20-30 meters IR distance
- Video compression: H.264/H.265/H.265+
- Shutter Type: Auto/Manual
- P2P: Supported
- Network interface: 1RJ45 Ethernet interface
- Network function: Free client software
- PoE Supported



# INDOOR

AHD COLOR CAM

2.4/4/5MP



## AHD COLOR DOME CAMERA

### Features

- HD-CMOS sensor
- 3.6mm Lens with Mic
- Resolution: (2.4mp@1920x1080P)  
(4mp@2688x1536P)  
(5mp@2560x1920P)
- Upto 20-30 meters IR distance
- H.265 dual streaming
- 2-Warm light array LED's
- Lens type: HD lens / IR cut filter
- Gain control auto
- 3D-digital noise reduction

# OUTDOOR

AHD COLOR CAM

2.4/4/5MP



## AHD COLOR BULLET CAMERA

### Features

- HD-CMOS sensor
- 3.6mm Lens with Mic
- Resolution: (2.4mp@1920x1080P)  
(4mp@2688x1536P)  
(5mp@2560x1920P)
- Upto 30 meters IR distance
- H.265 dual streaming
- 4-Warm light array LED's
- Lens type: HD lens / IR cut filter
- Gain control auto
- 3D-digital noise reduction



# Color View

## INDOOR IP COLOR CAM

3/4/5MP

### IP DOME CAMERA

#### Features

- HD-CMOS sensor
- 3.6mm Lens with Mic
- Resolution: (3mp@2048x1440P)  
(4mp@2688x1536P)  
(5mp@2560x1920P)
- Upto 20-30 meters IR distance
- Video compression: H.264/H.265/H.265+
- Shutter Type: Auto/Manual
- 2-Warm light array LED's
- Network interface: 1RJ45 Ethernet interface
- Network function: Free client software
- PoE Supported



# Color View

## OUTDOOR IP COLOR CAM

2.4/3/5MP

### IP BULLET CAMERA

#### Features

- HD-CMOS sensor
- 3.6mm Lens with Mic
- Resolution: (3mp@2048x1440P)  
(4mp@2688x1536P)  
(5mp@2560x1920P)
- Upto 20-30 meters IR distance
- Video compression: H.264/H.265/H.265+
- Shutter Type: Auto/Manual
- 2-Warm light array LED's
- Network interface: 1RJ45 Ethernet interface
- Network function: Free client software
- PoE Supported



# SMART CAMERA

PROTECT YOUR INDOOR & OUTDOOR AREA

## 4G / WIFI DOME & BULLET CAMERA

### 3mp 4G Bullet Camera with Lan



- 4G connection; QR Code configuration
- Micro SD Card Support upto 256GB
- All time Color Camera
- Cloud storage (optional)
- Full Duplex Audio Intercom with Built-in high sensitivity Speaker and mic
- Intelligent Human Detection, Area motion detection, Realtime Push Notification on Mobile App
- Customized Prerecorded Audio Message Announcement for Audio Alerts
- "IPPRO, EseeCloud" Mobile app and PC client software for remote monitoring
- Alexa Support

### 3mp 4G Dome Camera



- 4G connection; QR Code configuration
- Micro SD Card Support upto 256GB
- All time Color Camera
- Cloud storage (optional)
- Full Duplex Audio Intercom with Built-in high sensitivity speaker and mic
- Intelligent Human Detection, Area motion detection, Realtime Push Notification on Mobile App
- Customized Prerecorded Audio Message Announcement for Audio Alerts
- "IPPRO, EseeCloud" Mobile app and PC client software for remote monitoring
- Alexa Support

### 3mp WIFI (HA60P) Bullet Camera



- Wi-Fi connection; QR Code configuration
- All time Color Camera
- Micro SD Card Support upto 256GB
- Cloud storage (optional)
- Full Duplex Audio Intercom with Built-in high sensitivity speaker and mic
- Intelligent Human Detection, Area motion detection, Realtime Push Notification on Mobile App
- Customized Prerecorded Audio Message Announcement for Audio Alerts
- "IPPRO, EseeCloud" Mobile app and PC client software for remote monitoring
- Alexa Support

### 3mp Wifi (MY007A) Dome Camera



- Wi-Fi connection; QR Code configuration
- All time colour Camera
- Intelligent Motion/Human based Tracking
- Micro SD Card support up to 256GB
- Cloud storage (optional)
- Full Duplex Audio Intercom with Built-in high-sensitivity Mic and Speaker
- Hotspot connection; can view and video playback without internet
- Intelligent Human Detection, Area motion detection, Realtime Push Notification on Mobile App
- Customized Prerecorded Audio Message Announcement for Audio Alerts
- "IPPRO, EseeCloud" Mobile app and PC client software for remote monitoring
- Alexa Support



4G/Wi-Fi Support



256GB SD Card



Human Detection



Works with Alexa



3MP Resolution



Pan/Tilt



Full-Duplex Audio Intercom



# SMART LINKAGE

## 4G & WIFI OUTDOOR

### 3+3



**3MP+3MP 4G Solar Linkage Mini PT Camera**

3MP + 3MP 4G Solar Linkage PT Camera  
 4mm + 4mm Fixed Lens  
 Horizontal Movement Range Pan 270°  
 Vertical Movement Range Tilt 90°  
 Dual monitoring.  
 One camera for monitoring  
 One camera for Pan-Tilt monitoring  
 Built-in Mic and Speaker  
 Human & Motion Detection  
 Support 10X Digital Zoom  
 Can set 6 preset points favorite locations  
 Support Micro SD Card upto 256GB  
 Cloud Storage(Optional)  
 Night Vision and Full Color Modes  
 Monitoring: Mobile/PC Software (TrueCloud)  
 4G Connection, Connect by QR Code  
 Built-in Battery 15600 mAh rechargeable

### 2+2



**2MP+2MP 4G Linkage Mini Pan-Tilt ATC Camera**

2MP + 2MP (1920 x 2160) Resolution  
 All Time Color Vision  
 Full Duplex Audio Intercom  
 Horizontal Rotation:350°  
 Vertical Rotation: 90°  
 Dual Monitoring  
 6 Preset Points for favorite location  
 Smart Human Detection  
 Motion Detection  
 Human Tracking  
 Customized Pre-recorded Voice Alarm  
 Active defense and siren light  
 Support Micro SD Card upto 256GB  
 & Cloud Storage(Optional)  
 QR Code Scanning for Network Connection  
 Monitoring: Mobile/PC Software (EseeCloud)  
 IP66 Waterproof Rating  
 4000 Lightning Protection.  
 Alexa Support

### DUAL



**4MP 4G Dual Lens Mini PT Camera**

4MP (2560 x 1440) Resolution  
 Dual Intelligent Lens 4mm & 12mm  
 All Time Color Vision  
 Full Duplex Audio Intercom  
 (Built-in High Sensitivity Mic & Speaker)  
 Horizontal Rotation:270°, Vertical Rotation: 90°  
 Support 10x Combined Zoom  
 6 Preset Points for favorite location  
 Smart Human Detection, Motion Detection  
 Mobile Notification  
 Customized Pre-recorded Voice Alarm  
 Support Micro SD Card upto 256GB &  
 Cloud Storage(Optional)  
 Compatible with all ONVIF Supported NVRs  
 QR Code Scanning for Network Connection  
 Monitoring: Mobile/PC Software  
 (EseeCloud/IP Pro)  
 IP66 Waterproof Rating,  
 4000 Lightning Protection.  
 Alexa Support



**Alexa Voice Command**



**Full-Duplex Audio Intercom**



**Human Detection**



**256 GB SD Card**



**2WAY**  
AUDIO



# PROTECT YOUR FAMILY

**With Pan Tilt WiFi Indoor Camera**  
That's Perfect For Your High Quality Life

Power On



Add Camera



Download "CLOUDEDGE" Apps



**iPhone**

Download iOS Version



**Android**

Download Android Version

# DVR

## DIGITAL VIDEO RECORDER



# H.265+

## 4 CHANNEL



### Features

- H.265/H.265+ Compression, 5in1
- 4Ch Video Recording
- 1Ch Audio In / 1Ch RCA Out
- Support, Android, iPhone, Mac.
- LINUX Operating System.
- IVA Video Analytics
- Line Crossing Object Detection.
- Up to 8TB SATA HDD\*1
- Image quality: 5M-N(1280×1944)
- Playback: 4Ch Playback

## 8 CHANNEL



### Features

- H.265/H.265+ Compression, 5in1
- 8Ch Video Recording
- 1Ch Audio In / 1Ch RCA Out
- Support, Android, iPhone, Mac.
- LINUX Operating System.
- IVA Video Analytics
- Line Crossing Object Detection.
- Up to 8TB SATA HDD\*1
- Image quality: 5M-N(1280×1944)
- Playback: 4Ch Playback

## 16 CHANNEL



### Features

- H.265/H.265+ Compression, 5in1
- 16Ch Video Recording
- 1Ch Audio In / 1Ch RCA Out
- Support, Android, iPhone, Mac.
- LINUX Operating System.
- IVA Video Analytics
- Line Crossing Object Detection.
- Up to 8TB SATA HDD\*1/2
- Image quality: 5M-N(1280×1944)
- Playback: 4Ch Playback

## 32 CHANNEL



### Features

- H.265/H.265+ Compression, 5in1
- 32Ch Video Recording
- 1Ch Audio In / 1Ch RCA Out
- Support, Android, iPhone, Mac.
- LINUX Operating System.
- IVA Video Analytics
- Line Crossing Object Detection.
- Up to 8TB SATA HDD\*1/2/4
- Image quality: 5M-N(1280×1944)
- Playback: 4Ch Playback



# NETWORK VIDEO RECORDER NVR



Convenient and easy to use



Excellent VCA accuracy



More useful design



Stable storage system



Powerful and economical IPC input and display capability



Stable operation 24/7

**BLUE TICK** Embedded NVRs are **all-in-one** units built for the highest quality IP video but without any complex integration. Here are just a few of their advantages:

## 8/16 CHANNEL



### Features

- Image Sensor: HI3798M
- Compression: H.265 / H.265+
- 8/16Ch Video Recording
- PTZ Supports
- 1\*RJ45, 100Mbps Ethernet
- Digital zoom: Yes
- ONVIF Protocol
- Audio + Video Playback
- Up to 6TB SATA Interface HDD\*1/2
- Support, Android, iPhone, Mac.
- Alarm Not Supported
- Supports LINUX Operating System
- 2\*USB2.0 Port
- Local Playback 1Ch
- HDMI Output
- Upgrade / Backup: USB Disk & Network

## 32 CHANNEL



### Features


- Image Sensor: HI3798M
- Compression: H.265 / H.265+
- 32Ch Video Recording
- PTZ Supports
- 1\*RJ45, 100Mbps Ethernet
- Digital zoom: Yes
- ONVIF Protocol
- Audio + Video Playback
- Up to 6TB SATA Interface HDD\*1/2/4
- Support, Android, iPhone, Mac.
- Alarm Not Supports
- Supports LINUX Operating System
- 2\*USB2.0 Port
- Local Playback 1Ch
- HDMI Output
- Upgrade / Backup: USB Disk & Network

# SWITCH MODE POWER SUPPLY

4CHANNEL

8CHANNEL

16CHANNEL



## Features:

- Line overvoltage shutdown extends line surge withstand.
- Accurate thermal shutdown (OTP).
- Inbuilt surge protection.
- Auto recovery upon fault clearing.
- Output short-circuit protection (SCP).
- Output overload / overcurrent protection (OLP, OCP).
- Overvoltage protection (OVP).
- Line brown out protection (Line UV).
- Rugged design delivers unmatched performance.
- Crystal clear picture due to ultra low ripple.
- Noise free picture & Individual picture.
- Very low consumption of electricity.

# NETWORK

## POE SWITCH

### UPLINK POE SWITCH (10/100/1000)MBPS

**4-PORT**

**BT-POE-4P2U**



- PoE Ethernet 4\*Port: 10/100Mbps
- Ethernet Uplink 2\*Port: 100Mbps
- Consumption: 75W(52V 1.44A)
- Power Adapter Voltage: AC 110V-240V
- Transmission Distance: 250Mtr.
- Switching Capacity: 1.2Gbps
- Throughput: 0.9Mbps
- PoE Standard: IEEE802.3af/at
- Color & Weight: Black & 0.95Kg

**SPEED**  
10/100MBPS

**8-PORT**

**BT-POE-8P2U**



- PoE Ethernet 8\*Port: 10/100Mbps
- Ethernet Uplink 2\*Port: 100Mbps
- Consumption: 120W(52V 2.3A)
- Power Adapter Voltage: AC 110V-240V
- Transmission Distance: 250Mtr.
- Switching Capacity: 2Gbps
- Throughput: 1.488Mbps
- PoE Standard: IEEE802.3af/at
- Color & Weight: Black & 0.95Kg

**SPEED**  
10/100MBPS

**8-PORT**

**BT-POE-8P24G**



- PoE Ethernet 8\*Port: 10/100Mbps
- Ethernet Uplink 2\*Port: 100Mbps
- Consumption: 120W(52V 2.3A)
- Power Adapter Voltage: AC 110V-240V
- Transmission Distance: 250Mtr.
- Switching Capacity: 5.6Gbps
- Throughput: 4.1664Mbps
- PoE Standard: IEEE802.3af/at
- Color & Weight: Black & 1.05Kg

**SPEED**  
10/100/1000MBPS

**16-PORT**

**BT-POE-16P2UG**



- PoE Ethernet 16\*Port: 10/100Mbps
- Uplink + SFP 2+1\*Port: 1000Mbps
- Consumption: 250W(52V 4.8A)
- Power Adapter Voltage: AC 110V-240V
- Transmission Distance: 250Mtr.
- Switching Capacity: 7.6Gbps
- Throughput: 5.6544Mbps
- PoE Standard: IEEE802.3af/at
- Color & Weight: Black & 4.2Kg

**SPEED**  
10/100/1000MBPS

**24-PORT**

**BT-POE-24N2G2S**



- PoE Ethernet 24\*Port: 10/100Mbps
- Uplink + SFP 2+2\*Port: 1000Mbps
- Consumption: 300W(52V, 5.76A)
- Power Adapter Voltage: AC 110V-240V
- Transmission Distance: 100Mtr.
- Switching Capacity: 12.8Gbps
- Throughput: 9.5232Mbps
- PoE Standard: IEEE802.3af/at
- Color & Weight: Black & 5.2Kg

**SPEED**  
10/100/1000MBPS

### FULL GIGA POE SWITCH (1000)MBPS

**4-PORT**

**BT-POE-41FGS**



- PoE Ethernet 4\*Port: 1000Mbps
- Uplink & SFP Port 1+1: 1000Mbps
- Consumption: 120W(52V 2.3A)
- Power Adapter Voltage: AC 110V-240V
- Transmission Distance: 100Mtr.
- Switching Capacity: 12Gbps
- Throughput: 8.928Mbps
- PoE Standard: IEEE802.3af/at
- Color & Weight: Black & 1.05Kg

**SPEED**  
1000MBPS

**8-PORT**

**BT-POE-82FGS**



- PoE Ethernet 8\*Port: 1000Mbps
- Uplink & SFP 2+2\*Port: 1000Mbps
- Consumption: 150W(52V 2.88A)
- Power Adapter Voltage: AC 110V-240V
- Transmission Distance: 100Mtr.
- Switching Capacity: 20Gbps
- Throughput: 14.88Mbps
- PoE Standard: IEEE802.3af/at
- Color & Weight: Black & 2.5Kg

**SPEED**  
1000MBPS

### FULL GIGA POE SWITCH (1000)MBPS

**16-PORT**

**BT-POE-16P2G2UG**



- PoE Ethernet 16\*Port: 1000Mbps
- Uplink + SFP 2+1\*Port: 1000Mbps
- Consumption: 300W(52V 5.76A)
- Power Adapter Voltage: AC 110V-240V
- Transmission Distance: 250Mtr.
- Switching Capacity: 38Gbps
- Throughput: 29.41Mbps
- PoE Standard: IEEE802.3af/at
- Color & Weight: Black & 4.2Kg

**SPEED**  
1000MBPS

**24-PORT**

**BT-POE-24PG2UG**



- PoE Ethernet 24\*Port: 1000Mbps
- Uplink + SFP 2+2\*Port: 1000Mbps
- Consumption: 300W(52V, 5.76A)
- Power Adapter Voltage: AC 110V-240V
- Transmission Distance: 100Mtr.
- Switching Capacity: 56Gbps
- Throughput: 43.34Mbps
- PoE Standard: IEEE802.3af/at
- Color & Weight: Black & 5.68Kg

**SPEED**  
1000MBPS



# ON YOUR ROUTER

## Connectivity on Slow-Fading Networks



**External  
Three Antenna**



**Upto 32  
User Connect**



**Qualcomm  
Chip**



**300Mbps  
Speed**

**4G & 5G  
WiFi ROUTER**

**5G SIM  
Supported**



**Insert  
SIM & Play**



**Secure  
Network**



**Ethernet  
Port**



- Fast speed with WiFi-6
- Connect more upto 32 user, Stay fast
- Compatible with 4G/5G Sim cards
- External high speed triple antenna



## SMART 4G PLUG & PLAY INTERNET SOLUTION

# NETWORKING & DVR NVR RACKS




RECYCLED  
RACK



WETHER  
PROOF



HEAT  
RESISTANT



PDU INCLUDED  
IN RACK

**Available All Size**  
**2U, 3U, 4U, 6U, 9U, 12, 15U**





# **BNC & DC CONNECTORS**



**DC**



**BNC**

# **CCTV** ACCESSORIES

# CAT6

**100Mtr. / 305Mtr.**  
**NETWORK CABLE**



## Key Features:

- 👉 100 Mtr. | 305 Mtr.
- 👉 6 UTP Solid cable.
- 👉 24 AWG (Solid)
- 👉 Bare Copper.
- 👉 HD-PE



PC



Laptop



Router



Switch



TV



TV Box



# 3+1 Co-Axial Cable


Best for CCTV Surveillance Products

## Features:

No of Core: Three  
Insulation: Fresh PVC  
Gauge: 18/20/22/24  
Type of wire: Indoor & Outdoor  
Color of Jacket: White  
Long Distance Cable Ripple  
Power Gauge: 14/43, 14/42, 14/40



Reliable, Robust  
Resilient



High Quality  
Video Core



Hybrid  
Wire



High Quality  
Copper



Long Distance  
Transmission



Fire  
Resistance





**MAKE  
IN INDIA**



[www.blueticksecureindia.com](http://www.blueticksecureindia.com)

